





Industrial Valve



MAFFS VALVES & FITTINGS PVT LTD

Manufacturer of Industrial Valves, Instrumentation Valves & Fittings

Double Offset Butterfly Valve



Product Specifications



Product Type	Double Offset Butterfly Valve
Valve Size	2" to 24"
Pressure Class	150, 300
Ends	Flanged / Wafer Type / Lug Type
Operation	Lever, Gear, Actuator (Pneumatic, Electrical)
Materials	Cast Iron, Carbon Steel, Stainless Steel, Alloy Steel
Design Features	<ul style="list-style-type: none">• Anti-Blow out Stem• Soft Seated / Metal Seated• Reduced Seat wear• Low operating torque

Applicable Standards



Design Standard	API 609, ASME B16.34
P-T Rating	ASME B16.34
Face to Face	API 609, ASME B16.10
End Connections	ASME B16.5
Testing	API 598
Fire Safe	API 607, ISO 10497
NACE Requirement*	NACE MR-01-75, NACE MR-01-03
FET Testing*	ISO 15848
Cryo Test*	BS 6364

* On request.

INDUSTRIES

- Oil & Gas Industry
- Pipeline & Process Industry
- Power Industry
- Refinery & Petrochemical Industry
- Chemical Industry • Water & Waste water Industry
- Pharmaceutical Industry • Marine Industry

- Stellite hard face on the disc sealing face can be provided upon request.
- Live loading can be provided, which maintain constant pressure on the gland.
- Low emission packing set available for special service.
- ISO 5211 top mounting plate for direct mounting of a wide range of actuators and gears.





Follow us at :



For more details, Contact at :

- +91 9930568025
- sales@maffsvalves.com
- www.maffsvalves.com

CORPORATE & FACTORY :

Gala No. 9, Building No. 3, Patel Industrial Estate, Gokhivare,
Range Office, Vasai East, Palghar - 401208

